

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	173	match\$5 with printer with address and (@pd<="20020905" or @ad<="20020905" or @rlad<="20020905" or @prad<="20020905")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/23 10:35
S2	31	match\$5 near4 printer near2 address and (@pd<="20020905" or @ad<="20020905" or @rlad<="20020905" or @prad<="20020905")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/23 10:39
S3	14	match\$5 with printer near2 address and (@pd<="20020905" or @ad<="20020905" or @rlad<="20020905" or @prad<="20020905") not S2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/23 10:52
S4	52	(match\$5 or check\$5 or compar \$6) with printer with ip address and (@pd<="20020905" or @ad<="20020905" or @rlad<="20020905" or @prad<="20020905") not S2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/23 11:02
S5	28	(match\$5 or check\$5 or compar \$6) with ip address and (printer with request\$5 with (job or document)) and (@pd<="20020905" or @ad<="20020905" or @rlad<="20020905" or @prad<="20020905")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/23 11:13
S6	99	(match\$5 or check\$5 or compar \$6) with (ip or printer) near address and (secu\$5 or remote) near2 print\$5 and (@pd<="20020905" or @ad<="20020905" or @rlad<="20020905" or @prad<="20020905")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/23 11:19

S7	167	(match\$5 or check\$5 or compar\$6) with (ip or printer) near2 address and (select\$5 or identif\$5 or choos\$5) near3 printer and (@pd<="20020905" or @ad<="20020905" or @rlad<="20020905" or @prad<="20020905")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/23 12:39
S8	23	(verif\$6) with (ip or printer) near2 address and (select\$5 or identif\$5 or choos\$5) near3 printer and (@pd<="20020905" or @ad<="20020905" or @rlad<="20020905" or @prad<="20020905")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/23 12:55
S9	5	(US-20030188186-\$ or US-20040054962-\$ or US-20020042884-\$).did. or (US-6940615-\$ or US-6918042-\$).did.	US-PGPUB; USPAT	ADJ	ON	2010/11/23 13:04
S10	1	S9 and printer position	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/23 13:04
S11	1040	(verif\$6) with (ip or printer) near2 address and (@pd<="20020905" or @ad<="20020905" or @rlad<="20020905" or @prad<="20020905")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/23 13:46
S12	17	(verif\$6) with (ip or printer) near2 address and (secu\$5 or remot\$5) near2 print\$5 and (@pd<="20020905" or @ad<="20020905" or @rlad<="20020905" or @prad<="20020905")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/23 13:46
S13	63	(match\$5 or check\$5 or compar\$6 or verif\$6) with request\$5 near2 address and (select\$5 or identif\$5 or choos\$5) near3 printer and (@pd<="20020905" or @ad<="20020905" or @rlad<="20020905" or @prad<="20020905")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/23 14:38
S14	29	(match\$5 or check\$5 or compar\$6 or verif\$6) with request\$5 near2 address same printer and (@pd<="20020905" or @ad<="20020905" or @rlad<="20020905" or @prad<="20020905")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/23 14:51

S15	19	(match\$5 or check\$5 or compar\$6 or verif\$6) with address with print (job or request) and (@pd<="20020905" or @ad<="20020905" or @riad<="20020905" or @prad<="20020905")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/23 15:08
S16	27	(check\$5 or compar\$6 or verif\$6) with printer (address) and (@pd<="20020905" or @ad<="20020905" or @riad<="20020905" or @prad<="20020905")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/23 15:53
S17	165	(match\$5 or check\$5 or compar\$6 or verif\$6) with correct near4 printer and (@pd<="20020905" or @ad<="20020905" or @riad<="20020905" or @prad<="20020905")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/23 16:02
S18	923	(match\$5 or check\$5 or compar\$6 or verif\$6) near5 printer and (secur\$5 or remot\$5) print\$5 and (@pd<="20020905" or @ad<="20020905" or @riad<="20020905" or @prad<="20020905")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/23 16:08
S19	13	(match\$5 or check\$5 or compar\$6 or verif\$6) with correct near4 printer and (secur\$5 or remot\$5) print\$5 and (@pd<="20020905" or @ad<="20020905" or @riad<="20020905" or @prad<="20020905")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/23 16:11
S20	53	(match\$5 or check\$5 or compar\$6 or verif\$6) near5 printer with request\$5 and (secur\$5 or remot\$5) print\$5 and (@pd<="20020905" or @ad<="20020905" or @riad<="20020905" or @prad<="20020905")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/23 16:12
S21	63	(match\$5 or check\$5 or compar\$6 or verif\$6) near5 printer with (addree or identi\$5) and (secur\$5 or remot\$5) print\$5 and (@pd<="20020905" or @ad<="20020905" or @riad<="20020905" or @prad<="20020905")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/23 16:29

S23	65	(match\$5 or check\$5 or compar\$6 or verif\$6) near5 printer with (address or ident\$5) and (secur\$5 or remot\$5) print\$5 and (@pd<="20020905" or @ad<="20020905" or @rlad<="20020905" or @prad<="20020905") not S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/23 16:30
S24	16	(match\$5 or check\$5 or compar\$6 or verif\$6) near5 printer with (authentica\$5 or authoriz\$6) and (secur\$5 or remot\$5) print\$5 and (@pd<="20020905" or @ad<="20020905" or @rlad<="20020905" or @prad<="20020905") not S20 not S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/23 17:02
S25	114	printer near3 (authentica\$5 or authoriz\$6) and (secur\$5 or remot\$5) print\$5 and (@pd<="20020905" or @ad<="20020905" or @rlad<="20020905" or @prad<="20020905") not S20 not S23 not S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/23 17:07
S26	3	printer near3 address near3 (authentica\$5 or authoriz\$6) and (@pd<="20020905" or @ad<="20020905" or @rlad<="20020905" or @prad<="20020905") not S20 not S23 not S24 not S25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/23 17:37
S27	7	printer near3 address with (authentica\$5 or authoriz\$6) and (@pd<="20020905" or @ad<="20020905" or @rlad<="20020905" or @prad<="20020905") not S20 not S23 not S24 not S25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/23 17:38
S28	118	printer near3 (ID or identi\$5) with (authentica\$5 or authoriz\$6) and (@pd<="20020905" or @ad<="20020905" or @rlad<="20020905" or @prad<="20020905") not S20 not S23 not S24 not S25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/23 17:40

S29	845	printer near (ID or identifier or identity or identification) with ((match\$5 or check\$5 or compar\$6 or verif\$6)) and (@pd<="20020905" or @ad<="20020905" or @rlad<="20020905" or @prad<="20020905") not S20 not S23 not S24 not S25 not S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/23 17:49
S30	48	printer near (ID or identifier or identity or identification) with ((match\$5)) and (@pd<="20020905" or @ad<="20020905" or @rlad<="20020905" or @prad<="20020905") not S20 not S23 not S24 not S25 not S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/23 17:50
S31	135	printer near (ID or identifier or identity or identification) with ((check\$5)) and (@pd<="20020905" or @ad<="20020905" or @rlad<="20020905" or @prad<="20020905") not S20 not S23 not S24 not S25 not S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/23 17:54
S32	38	printer near (ID or identifier or identity or identification) with ((compar\$6)) and (@pd<="20020905" or @ad<="20020905" or @rlad<="20020905" or @prad<="20020905") not S20 not S23 not S24 not S25 not S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/23 17:58
S33	644	printer near (ID or identifier or identity or identification) with ((verif\$6)) and (@pd<="20020905" or @ad<="20020905" or @rlad<="20020905" or @prad<="20020905") not S20 not S23 not S24 not S25 not S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/23 18:01
S34	27	printer near (ID or identifier or identity or identification) with ((verif\$6)) and (@pd<="20020905" or @ad<="20020905" or @rlad<="20020905" or @prad<="20020905") not S20 not S23 not S24 not S25 not S28 not silverbrook.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/23 18:04

S35	2	"7248693".pn. and identi\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/24 11:20
-----	---	-----------------------------	---	-----	----	---------------------

11/ 24/ 2010 2:33:41 PM

C:\Documents and Settings\kmai2\My Documents\EAST\Workspaces\10654960-11-23-10.wsp